


# 資料擷取卡 16 CHANNEL I/O CARD



## ■ Digital input (DI)

<b>Model :</b>	<b>DI-16</b>
<b>Channels :</b>	16
<b>Input :</b>	Digital input
<b>Operating Temp. :</b>	0~60°C/ Below 80%R.H.
<b>Storage Temp. :</b>	-10~70°C/ Below 70% R.H.
<b>Power Supply :</b>	DC 24±20%
<b>Dielectric Strength :</b>	AC 1500V/1min ( Input/Power )
<b>Insulation Resistance :</b>	More than 100MΩ at 500VDC
<b>Mounting :</b>	DIN rail
<b>Dimensions :</b>	203(W) x 81(H)mm
<b>Output :</b>	RS-485
<b>Protocol :</b>	Modbus RTU mode
<b>Baudrate :</b>	9600 or 19200

## ■ Relay output (DO)

<b>Model :</b>	<b>DO-16</b>
<b>Channels :</b>	16
<b>Input :</b>	RS-485
<b>Operating Temp. :</b>	0~60°C/ Below 80%R.H.
<b>Storage Temp. :</b>	-10~70°C/ Below 70% R.H.
<b>Power Supply :</b>	DC 24±20%
<b>Dielectric Strength :</b>	AC 1500V/1min ( Input/Power )
<b>Insulation Resistance :</b>	More than 100MΩ at 500VDC
<b>Mounting :</b>	DIN rail
<b>Dimensions :</b>	203(W) x 81(H)mm
<b>Output :</b>	Relay output

## ■ Analog input (AI)

<b>Model :</b>	<b>AI-16</b>
<b>Channels :</b>	16
<b>Input :</b>	DC 4~20mA (Analog input)
<b>Operating Temp. :</b>	0~60°C/ Below 80%R.H.
<b>Storage Temp. :</b>	-10~70°C/ Below 70% R.H.
<b>Power Supply :</b>	DC 24±20%
<b>Dielectric Strength :</b>	AC 1500V/1min ( Input/Power )
<b>Insulation Resistance :</b>	More than 100MΩ at 500VDC
<b>Mounting :</b>	DIN rail
<b>Dimensions :</b>	203(W) x 81(H)mm
<b>Output :</b>	RS-485
<b>Protocol :</b>	Modbus RTU mode
<b>Baudrate :</b>	9600 or 19200

## ■ PT-100Ω / Analog input (PTI)

<b>Model :</b>	<b>PTI-06</b>
<b>Channels :</b>	PT x 6 , AI x 2
<b>Input :</b>	PT-100Ω / DC 4~20mA (Analog input)
<b>Operating Temp. :</b>	0~60°C/ Below 80%R.H.
<b>Storage Temp. :</b>	-10~70°C/ Below 70% R.H.
<b>Power Supply :</b>	DC 24±20%
<b>Dielectric Strength :</b>	AC 1500V/1min ( Input/Power )
<b>Insulation Resistance :</b>	More than 100MΩ at 500VDC
<b>Mounting :</b>	DIN rail
<b>Dimensions :</b>	203(W) x 91(H)mm
<b>Output :</b>	RS-485
<b>Protocol :</b>	Modbus RTU mode
<b>Baudrate :</b>	9600 or 19200